

**AMENDMENTS TO THE CLAIMS**

1. (Original) A laser-weldable resin label which comprises at least a resin layer and is affixable to a resin shaped article by a laser welding, wherein the resin layer has a light-scattering property, and the transmittance of the resin layer relative to a laser beam having an oscillation wavelength within the range of 740 to 1100 nm is not less than 20%, the total light transmittance of the resin layer relative to a visible light in accordance with ASTM D1003 is not more than 50%, and the haze value of the resin layer in accordance with ASTM D1003 is not less than 70%.

2. (Original) A laser-weldable label according to claim 1, which has a thickness of 50  $\mu\text{m}$  to 5 mm.

3. (Original) A laser-weldable label according to claim 1, wherein the resin layer comprises a thermoplastic resin.

4. (Original) A laser-weldable label according to claim 1, which comprises the resin layer alone.

5. (Original) A laser-weldable label according to claim 1, wherein the resin layer comprises a thermoplastic resin which has a compatibility with a resin constituting the resin shaped article.

6. (Original) A laser-weldable label according to claim 1, wherein the resin layer is capable of masking the resin shaped article, and is colored into a chromatic color or an achromatic color.

7. (Original) A laser-weldable label according to claim 1, which comprises a printed layer formed on the surface thereof, wherein the printed layer has a display function.

8. (Original) A laser-weldable label according to claim 7, wherein the printed layer comprises a coloring agent having a transmitting property relative to a laser beam.

9. (Original) A laser-weldable label according to claim 1, which comprises the resin layer and a laser-absorbing part formed on a surface of the resin layer, wherein the label is weldable to the resin shaped article by irradiating a laser beam on a contact surface of the laser-absorbing part with the resin shaped article.

10. (Original) A laser-weldable label according to claim 9, wherein the absorbing part is a laser-absorbing layer which is formed on a surface of the resin layer, and the thickness of the absorbing layer is 1 to 40  $\mu\text{m}$ .

11. (Currently Amended) A laser-weldable label according to claim 9-~~or 10~~, wherein the absorbing part is a laser-absorbing layer formed by a layer containing a laser beam absorbent.

12. (Currently Amended) A shaped composite article which comprises a resin shaped article and a laser-weldable label recited in ~~any one of claims~~ claim 1 to 11, wherein the label is bonded to the resin shaped article by a laser welding.

13. (Original) A shaped composite article according to claim 12, wherein the resin shaped article comprises a laser beam-absorbing part formed on at least part of a surface thereof, and the label is bonded to the resin shaped article by irradiating a laser beam on the contact surface of the absorbing part with the label.

14. (Original) A shaped composite article according to claim 13, wherein the absorbing part comprises a laser-absorbing layer, and the thickness of the absorbing layer is 1 to 40  $\mu\text{m}$ .

15. (Currently Amended) A shaped composite article according to claim ~~13 or 14~~, wherein the absorbing part comprises a laser-absorbing layer, and the absorbing layer is formed by a layer containing a laser beam absorbent.

16. (Currently Amended) A shaped composite article according to ~~any one of claims~~ claim 12 to 15, wherein the resin shaped article is a toner cartridge.